

TP 175 TRACK



Infeed

Roller opening: 175 x 191 mm Number of rollers: 2

Roller position: Horizontal

Chipper type

Number of cylinders:

Fuel consumption:

Chipper type: Disc chipper 90° **Chipping angle:** TP OPTICUT: Yes **TP TWIN DISC:** Yes Number of knifes: 2 2 Number of cuts per turn: Woodchip size: 4-10 mm **Rotorspeed:** 1750 r/min **Rotordiameter:** 599 mm **Rotorweight:** 69 kg **Transmission:** TP STARTER **Counter knife horizontal:** 1 turnable Counter knife vertical: 1 Replacement of wearing plate: No Wearing plate: Yes TP CHIP KIT: Option Spout System **TP VARIO SPOUT:** Option Standard TP FIXED SPOUT: Stress control Stress control system TP PILOT + Stress control: with TP EASY CONTROL **Engine Engine:** Kubota D1305-E4B Fuel: Diesel **Engine power:** 25 hp/18,5 kW

3

31/h

Page 2 of 3

Dimensions

Length (transport/operation): 2571 mm/3123 mm

Width: 1150 - 1300 mm

Height (t/o) TP VARIO SPOUT: 1900 mm/2049-2590 mm

Height (t/o) TP FIXED SPOUT: 2049 mm **Weight:** 1150 kg

Remote Control

Remote Control: Standard

TECHNICAL DRAWING

TP 175 TRACK



