



## TP 175 MOBILE Z.E.



### Infeed

**Roller opening:**

175 x 191 mm

**Number of rollers:**

2

**Roller position:**

Horizontal

### Chipper type

<b>Chipper type:</b>	Disc chipper
<b>Chipping angle:</b>	90°
<b>TP OPTICUT:</b>	Yes
<b>TP TWIN DISC:</b>	Yes
<b>Number of knives:</b>	2
<b>Number of cuts per turn:</b>	2
<b>Woodchip size:</b>	4-10 mm
<b>Rotorspeed:</b>	1750 r/min
<b>Rotordiameter:</b>	599 mm
<b>Rotorweight:</b>	69 kg
<b>Transmission:</b>	DIRECT DRIVEN
<b>Counter knife horizontal:</b>	1 turnable
<b>Counter knife vertical:</b>	1
<b>Replacement of wearing plate:</b>	No
<b>Wearing plate:</b>	Yes
<b>TP CHIP KIT:</b>	Option

## Spout System

<b>TP VARIO SPOUT:</b>	Option
<b>TP FIXED SPOUT:</b>	Standard

## Stress control

<b>Stress control:</b>	TP PILOT+ with TP EASY CONTROL
------------------------	--------------------------------

## Engine and working hours

<b>Engine:</b>	ME 1507 PMAC
<b>ECO/STANDARD/BOOST - MODE:</b>	70Nm/85Nm/100Nm
<b>Battery 3 x LiNiMnCoO<sub>2</sub> 65V 195 AMP:</b>	SUB 750 kg - up tp 3h
<b>Battery 4 x LiNiMnCoO<sub>2</sub> 65V 260 AMP:</b>	SUB 750 kg - up to 4h
<b>Battery 5 x LiNiMnCoO<sub>2</sub> 65V 325 AMP:</b>	792 kg - up to 5h

## Dimensions

<b>Length (transport/operation):</b>	3515 mm/4013 mm
<b>Width:</b>	1416 mm
<b>Height (t/o) TP VARIO SPOUT:</b>	1750 mm/1965-2440 mm
<b>Height (t/o) TP FIXED SPOUT:</b>	1995 mm
<b>Weight:</b>	741 - 792 kg

### TECHNICAL DRAWING

TP 175 MOBILE · TP 175 MOBILE E-ZE

